



## Verteilerleisten

### VT 15 XXX

Ident Nr. VT 15502 bis VT 15466

**Aluminium Legierung  
6005/T6 oder 6082**
**12 bar  
Temperaturbereich:  
-40 °C bis +200 °C**

### Bestellhinweis

#### Abgänge einseitig

Artikel Nr.	Ident Nr.	Anschlüsse	
		Eingänge	Ausgänge
VT 15502	112524	2 x 1/8	2 x M5
VT 15503	112525		3 x M5
VT 15504	112526		4 x M5
VT 15506	112527		6 x M5
VT 15102	112528	2 x 1/4	2 x 1/8
VT 15103	112529		3 x 1/8
VT 15104	112530		4 x 1/8
VT 15106	112531		6 x 1/8
VT 15202	112532	2 x 3/8	2 x 1/4
VT 15203	112533		3 x 1/4
VT 15204	112534		4 x 1/4
VT 15206	112535		6 x 1/4
VT 15302	112536	2 x 3/8	2 x 1/8
VT 15303	112537		3 x 1/8
VT 15304	112538		4 x 1/8
VT 15306	112539		6 x 1/8
VT 15402	112540	2 x 1/2	2 x 1/4
VT 15403	112541		3 x 1/4
VT 15404	112542		4 x 1/4
VT 15406	112543		6 x 1/4

### Bestellhinweis

#### Abgänge beidseitig

Artikel Nr.	Ident Nr.	Anschlüsse	
		Eingänge	Ausgänge
VT 15522	112544	2 x 1/8	2+2 x M5
VT 15533	112545		3+3 x M5
VT 15544	112546		4+4 x M5
VT 15566	112547		6+6 x M5
VT 15122	112548	2 x 1/4	2+2 x 1/8
VT 15133	112549		3+3 x 1/8
VT 15144	112550		4+4 x 1/8
VT 15166	112551		6+6 x 1/8
VT 15222	112552	2 x 3/8	2+2 x 1/4
VT 15233	112553		3+3 x 1/4
VT 15244	112554		4+4 x 1/4
VT 15266	112555		6+6 x 1/4
VT 15422	112556	2 x 1/2	2+2 x 1/4
VT 15433	112557		3+3 x 1/4
VT 15444	112558		4+4 x 1/4
VT 15466	112559		6+6 x 1/4


### Werkstoffe

**Aluminium,** -Oberfläche getrommelt


Auf Anfrage: Oberfläche anodisiert

**Abmessungen [mm]**


Artikel Nr.	A	B	D mm	E mm	F mm	G mm	H mm	L mm	M mm	K mm
VT 15502	G 1/8	M5	15	15	45	22,5	3,5	20	15	4,25
VT 15102	G 1/4	G 1/8	15	30	60	30,0	4,5	30	20	5,50
VT 15202	G 3/8	G 1/4	18	36	72	36,0	6,0	40	20	6,50
VT 15302	G 3/8	G 1/8	18	30	66	33,0	6,0	40	20	5,50
VT 15402	G 1/2	G 1/4	22	36	80	40,0	6,0	40	30	6,50




Artikel Nr.	A	B	D mm	E mm	F mm	G mm	H mm	K mm	N mm	O mm
VT 15504	G 1/8	M5	15	15	75	22,5	3,5	4,25	20	15
VT 15104	G 1/4	G 1/8	15	30	120	30,0	4,5	5,50	30	20
VT 15506	G 1/8	M5	15	15	105	22,5	3,5	4,25	20	15
VT 15106	G 1/4	G 1/8	15	30	180	30,0	4,5	5,50	30	20




Artikel Nr.	A	B	D mm	E mm	F mm	G mm	H mm	K mm	L mm	M mm	N mm	O mm
VT 15204	G 3/8	G 1/4	18	36	144	36	6,0	6,50	19	11	30	20
VT 15304	G 3/8	G 1/8	18	30	126	33	4,5	5,50	19	11	30	20
VT 15404	G 1/2	G 1/4	22	36	152	40	6,0	6,50	20	20	40	30
VT 15206	G 3/8	G 1/4	18	36	216	36	6,0	6,50	19	11	30	20
VT 15306	G 3/8	G 1/8	18	30	186	33	4,5	5,50	19	11	30	20
VT 15406	G 1/2	G 1/4	22	36	224	40	6,0	6,50	24	16	40	30



Artikel Nr.	A	B	D mm	E mm	F mm	G mm	H mm	K mm	L mm	M mm
VT 15522	G 1/8	M5	15	15	45	22,5	3,5	4,25	20	15
VT 15122	G 1/4	G 1/8	15	30	60	30	4,5	5,50	30	20
VT 15222	G 3/8	G 1/4	18	36	72	36	6,0	6,5	40	20
VT 15322	G 3/8	G 1/8	18	30	66	33	4,5	5,25	40	20
VT 15422	G 1/2	G 1/4	22	36	80	40	6,0	6,5	40	30




Artikel Nr.	A	B	D mm	E mm	F mm	G mm	H mm	K mm	L mm	M mm
VT 15544	G 1/8	M5	15	15	75	22,5	3,5	4,25	20	15
VT 15144	G 1/4	G 1/8	15	30	120	30	4,5	5,50	30	20
VT 15244	G 3/8	G 1/4	18	36	144	36	6,0	6,5	40	20
VT 15344	G 3/8	G 1/8	18	30	126	33	4,5	5,25	40	20
VT 15444	G 1/2	G 1/4	22	36	152	40	6,0	6,5	40	30




## Abmessungen [mm]

Artikel Nr.	Anschluss Eingang	Anschluss Ausgang	L mm	A mm	B mm	C mm	P mm	ØK mm	M mm	O mm
VT 15503	2 x 1/8	3 x M5	60,0	20,0	15,0	15,0	15,0	4,25	15,0	20,0
VT 15103	2 x 1/4	3 x 1/8	90,0	30,0	15,0	30,0	30,0	5,5	20,0	30,0
VT 15203	2 x 3/8	3 x 1/4	108,0	30,0	18,0	36,0	36,0	6,5	20,0	30,0
VT 15303	2 x 3/8	3 x 1/8	96,0	30,0	18,0	30,0	30,0	5,5	20,0	30,0
VT 15403	2 x 1/2	3 x 1/4	116,0	40,0	22,0	36,0	36,0	6,5	30,0	40,0



Artikel Nr.	Anschluss Eingang	Anschluss Ausgang	L mm	A mm	B mm	C mm	P mm	ØK mm	M mm	O mm
VT 15533	2 x 1/8	3 + 3 x M5	60,0	20,0	15,0	15,0	15,0	4,25	15,0	20,0
VT 15133	2 x 1/4	3 + 3 x 1/8	90,0	30,0	15,0	30,0	30,0	5,5	20,0	30,0
VT 15233	2 x 3/8	3 + 3 x 1/4	108,0	40,0	18,0	36,0	36,0	6,5	20,0	40,0
VT 15433	2 x 1/2	3 + 3 x 1/4	116,0	40,0	22,0	36,0	36,0	6,5	30,0	40,0



Artikel Nr.	Anschluss Eingang	Anschluss Ausgang	L mm	A mm	B mm	C mm	P mm	ØK mm	M mm	O mm
VT 15566	2 x 1/8	6 + 6 x M5	105,0	20,0	15,0	15,0	60,0	4,25	15,0	20,0
VT 15166	2 x 1/4	6 + 6 x 1/8	180,0	30,0	15,0	30,0	120,0	5,5	20,0	30,0
VT 15266	2 x 3/8	6 + 6 x 1/4	216,0	40,0	18,0	36,0	144,0	6,5	20,0	40,0
VT 15466	2 x 1/2	6 + 6 x 1/4	224,0	40,0	22,0	36,0	144,0	6,5	30,0	40,0

