

Safety data Sheet according to Regulation (EC) No. 1907/2006

Print date: 19.12. 20172017

Revision date 007-10-2017

**Schwer Fittings GmbH****Material No: Gleitfett 5GP**

Seite 1/4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier: Gleitfett 5GP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant and lubricant additive, industrial

1.3. Details of the supplier of the safety data sheet

Company name: Schwer fittings GmbH

Street: Hans Schwer Platz 1

Place: D-78588 Denkingen

Tel. 0049 7424 98250

Telefax: 0049 7424 9825.10

Contact person: Hr. Veeseer

Internet: www.schwer.com

REsponsible Department::

Hr. Veeseer 0049 74249825 – 122 (Zentrale -100)

1.4 **Emergency telephone number****0049 74249825122****SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

calcium dihydroxide

Signal word:

Danger

Pictograms:**Hazard statements**

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water.

Safety data Sheet according to Regulation (EC) No. 1907/2006

Print date: 19.12. 20172017

Revision date 007-10-2017



IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a POISON CENTER/doctor.
Dispose of waste according to applicable legislation.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1305-62-0	calcium dihydroxide			30 - < 35 %
	215-137-3		01-2119475151-45	
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335			
7446-26-6	Zinkpyrophosphat			5 - < 10 %
	231-203-4			
	Aquatic Chronic 2; H411			
1314-13-2	zinc oxide			< 1 %
	215-222-5	030-013-00-7	01-2119463881-32	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			

Full text of H and EUH statements: see section 16.

Further Information

< 3 % Dimethylsulfoxide (DMSO)

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Safety data Sheet according to Regulation (EC) No. 1907/2006

Print date: 19.12. 20172017

Revision date 007-10-2017



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid generation of dust. Do not breathe dust.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

Lubricant and lubricant additive, industrial

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1305-62-0	Calcium hydroxide	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
8002-74-2	Paraffin wax, fume	-	2		TWA (8 h)	WEL
		-	6		STEL (15 min)	WEL

Safety data Sheet according to Regulation (EC) No. 1907/2006

Print date: 19.12. 20172017

Revision date 007-10-2017


DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
1314-13-2	zinc oxide			
Consumer DNEL, acute		oral	systemic	0,83 mg/kg bw/day
Consumer DNEL, acute		inhalation	systemic	2,5 mg/m ³
Consumer DNEL, acute		dermal	systemic	83 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	5 mg/m ³

PNEC values

CAS No	Substance	Value
1314-13-2	zinc oxide	
Micro-organisms in sewage treatment plants (STP)		0,052 mg/l
Soil		35,6 mg/kg
Marine sediment		56,5 mg/kg
Freshwater sediment		117,8 mg/kg
Marine water		0,0061 mg/l
Freshwater		0,0206 mg/l

8.2. Exposure controls**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: solid (Paste)
Colour: brown (opaque)

Safety data Sheet according to Regulation (EC) No. 1907/2006

Print date: 19.12. 20172017

Revision date 007-10-2017

schwer
fittings

Odour:	characteristic	
		Test method
pH-Value:		not determined
Changes in the physical state		
Melting point:		not determined
Initial boiling point and boiling range:		> 210 °C
Drop point/drop range:		> 180 °C DIN ISO 2176
Flash point:		> 200 °C DIN 51376
Flammability		
Solid:		not determined
Gas:		not applicable
Explosive properties		
No information available.		
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature		
Solid:		> 325 °C
Gas:		not applicable
Decomposition temperature:		not determined
Oxidizing properties		
Not oxidizing.		
Vapour pressure:		< 0,1 hPa
Density:		ca. 1,1 g/cm ³
Water solubility:		practically insoluble
Solubility in other solvents		
not determined		
Partition coefficient:		not determined
Viscosity / dynamic:		not determined
Viscosity / kinematic:		not determined
Vapour density:		not determined
Evaporation rate:		not determined
9.2. Other information		
Solid content:		40 - 50 %
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No hazardous reaction when handled and stored according to provisions.		
10.2. Chemical stability		
The product is stable under storage at normal ambient temperatures.		
10.3. Possibility of hazardous reactions		
No known hazardous reactions.		
10.4. Conditions to avoid		
none		
10.5. Incompatible materials		
No information available.		
10.6. Hazardous decomposition products		
No known hazardous decomposition products.		

Safety data Sheet according to Regulation (EC) No. 1907/2006

Print date: 19.12. 20172017

Revision date 007-10-2017


SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
1305-62-0	calcium dihydroxide					
	oral	LD50 > 2000 mg/kg	Rat	OECD 425		
	dermal	LD50 > 2500 mg/kg	Rabbit	OECD 402		
7446-26-6	Zinkpyrophosphat					
	oral	LD50 > 2000 mg/kg	Rat	Manufacturer		
1314-13-2	zinc oxide					
	oral	LD50 > 5000 mg/kg	Rat	OECD 401		
	dermal	LD50 > 2000 mg/kg	Rat	OECD 402		
	inhalative (4 h) aerosol	LC50 > 5,7 mg/l	Rat	OECD 403		

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information**12.1. Toxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1305-62-0	calcium dihydroxide					
	Acute fish toxicity	LC50 50,6 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50 184,57 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 49,1 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
	Algae toxicity	NOEC 48 mg/l	3 d	Pseudokirchneriella subcapitata	OECD 201	
7446-26-6	Zinkpyrophosphat					
	Acute algae toxicity	ErC50 4,7 mg/l	72 h	Algae	OECD 201	
	Acute crustacea toxicity	EC50 26 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
1314-13-2	zinc oxide					
	Acute fish toxicity	LC50 1,793 mg/l	96 h	Brachydanio rerio (zebra-fish)	IUCLID	
	Acute algae toxicity	ErC50 0,136 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 2,6 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	

Safety data Sheet according to Regulation (EC) No. 1907/2006

Print date: 19.12. 20172017

Revision date 007-10-2017

schwer
fittings**12.2. Persistence and degradability**

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)**14.1. UN number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)**14.1. UN number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Safety data Sheet according to Regulation (EC) No. 1907/2006

Print date: 19.12. 20172017

Revision date 007-10-2017


SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:
White mineral oil (petroleum)

SECTION 16: Other information
Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)