

Type »Typhoon pro«

Steplessly adjustable and ergonomically optimised high-volume blow gun in full metal housing with exceptionally high blowing power.

The »Typhoon pro« model, which achieves approximately three times the blowing power of conventional guns, rests comfortably and securely in the hand even when full pressure is applied.

Resistant to chemicals and chemical solvents, with a chrome-plated surface for easy cleaning!

Material	Chrome-plated aluminium
Hand lever	Die-cast zinc
Max. operating pressure	10 bar
Connecting thread	G 1/4
Nozzle	1/2" - 27 UNS chrome-plated brass



39 A



39 V

### High-volume blow gun »Typhoon pro«

Art. No.	Type No.	Type of connection
114464	39 A	Stem, I.D. 6
114465	39 B	Stem, I.D. 9
114466	39 C	Stem, I.D. 13
118492	39 V	G 1/4 IT
114467	39 K	Push-in plug for DN 7.2 couplings

### Flow rate:

Pressure (bar):	2.1	3.5	5.2	6.9	8.3	9.0	9.7
Air consumption in m <sup>3</sup> /min.:	0.4	0.5	0.6	0.7	0.8	0.9	0.9

### Nozzle

Art. No.	Type No.	Description
114435	29.550	Standard nozzle, 1/2 - 27 UNS male
114436	29.551	Nozzle for extension pipe, 1/2 - 27 UNS female
133848	29.552	Multijet nozzle, Exterior thread 1/2 - 27 UNS
146697	29.568	Adjustable nozzle, external thread 1/2 - 27 UNS
114437	29.560	Adapter for needle valve nozzles and rubber nozzles
114438	29.562	Needle Nozzle outer-Ø 1,27 mm, length: 30 mm, Adapter 29.560 required
114439	29.563	Needle Nozzle outer-Ø 1,87 mm, length: 44 mm, Adapter 29.560 required
114440	29.564	Needle Nozzle outer-Ø 2,43 mm, length: 62 mm, Adapter 29.560 required
114441	29.565	Needle Nozzle outer-Ø 3,40 mm, length: 70 mm, Adapter 29.560 required
133849	29.566	Rubber tapered nozzle, adapter required
133850	29.567	Rubber bypass nozzle, adapter required

### Extension pipe with multijet nozzle


Art. No.	Type No.	Description
133842	29.150	Extension pipe 150 mm with standard nozzle
114433	29.300	Extension pipe 300 mm with standard nozzle
114434	29.600	Extension pipe 600 mm with standard nozzle
133843	29.900	Extension pipe 900 mm with standard nozzle


### Extension pipe with multijet nozzle


Art. No.	Type No.	Description
133844	29.150-MJ	Extension pipe 150 mm with multijet nozzle
133845	29.300-MJ	Extension pipe 300 mm with multijet nozzle
133846	29.600-MJ	Extension pipe 600 mm with multijet nozzle
133847	29.900-MJ	Extension pipe 900 mm with multijet nozzle



### Extension pipe without nozzle for use with safety nozzles, 1/2 - 27 UNS connection

Art. No.	Type No.	Description	Material
114447	29.150-S	Extension tube straight, 150 mm	Aluminium
114448	29.300-S	Extension tube straight, 300 mm	Aluminium
114449	29.600-S	Extension tube straight, 600 mm	Aluminium
114450	29.900-S	Extension tube straight, 900 mm	Aluminium
114451	29.150-SG	Extension tube bent, 150 mm	Aluminium
114452	29.300-SG	Extension tube bent, 300 mm	Aluminium
114453	29.600-SG	Extension tube bent, 600 mm	Aluminium
114454	29.900-SG	Extension tube bent, 900 mm	Aluminium



	A (mm)	B (mm)	C (Thread)	D (Thread)	E (Finish)	Weight (grams)
	16	25.4	1/2-27 UNF-2A	1/8-27 NPSM-2B	Nickel Plate	17.4

	A (mm)	B (mm)	C (mm)	D (Thread)	E (Mat.)	E (Finish)	Weight (grams)	
	114438	1.3	30	1/8-27 NPSM-2A	11 mm Hex Brass	Nickel Plate	6,7	
	114439	1.8	45				6,8	
	114440	2.4	63				79	7,4
	114441	3.4	70				86	8,4

	A (mm)	B (mm)	C (mm)	D (Thread)	E (Mat.)	C (Finish)	Weight (grams)	
	133849	36	15	12.7 Hex Brass	1/8-27 NPSM-2A	Black Buna N Rubber	Nickel Plate	11
	133850	36	15	12.7 Hex Brass	1/8-27 NPSM-2A	Black Buna N Rubber	Nickel Plate	12